


AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the application.

Claims 1-18 (canceled)

Claim 19 (currently amended): An oxathiincarboxamide of formula (I)



in which

G¹ represents halogen, trifluoromethyl, difluoromethyl, or cyclopropyl,

G² and G³ independently of one another represent hydrogen or methyl,

n represents 0, 1 or 2,

R¹, R², R³, and R⁴ independently of one another represent hydrogen, fluorine, chlorine, methyl, isopropyl, or methylthio,

R⁵ represents hydrogen, C₁-C₈-alkyl, C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl-C₁-C₃-alkyl, (C₁-C₃-alkyl)carbonyl-C₁-C₃-alkyl, or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-alkyl; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-alkyl or (C₁-C₃-haloalkoxy)-carbonyl-C₁-C₃-alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-alkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-haloalkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents -COR⁶, -CONR⁷R⁸, or -CH₂NR⁹R¹⁰,

R⁶ represents hydrogen, C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents -COR¹¹,

R⁷ and R⁸ independently of one another represent hydrogen, C₁-C₈-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represent C₁-C₈-haloalkyl, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁷ and R⁸ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR¹² and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl,

R⁹ and R¹⁰ independently of one another represent hydrogen, C₁-C₈-alkyl, or C₃-C₈-cycloalkyl; or represent C₁-C₈-haloalkyl, C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁹ and R¹⁰ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR¹² and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl,

R¹¹ represents hydrogen, C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,

R¹² represents hydrogen or C₁-C₆-alkyl, and

Z represents [[Z¹,]] Z², Z³, or Z⁴, where

Z¹ ~~represents phenyl that is optionally mono- to pentasubstituted by identical or different substituents,~~

Z² represents cycloalkyl or bicycloalkyl having in each case 3 to 10 carbon atoms, that each of which radicals is optionally mono- or poly-

- ~~substituted to tetrasubstituted~~ by identical or different substituents
selected from the group consisting of halogen and C₁-C₄-alkyl,
- Z³ represents unsubstituted C₂-C₂₀-alkyl or represents C₁-C₂₀-alkyl that is mono- or polysubstituted by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally mono- ~~or polysubstituted to tetrasubstituted~~ by identical or different substituents selected from the group consisting of ~~halogen and~~ fluorine, chlorine, bromine, iodine, C₁-C₄-alkyl, and C₁-C₄-haloalkyl, and
- Z⁴ represents C₂-C₂₀-alkenyl or C₂-C₂₀-alkynyl that are optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl, where the cycloalkyl moiety is optionally be mono- ~~or polysubstituted to tetrasubstituted~~ by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, C₁-C₄-alkyl, and C₁-C₄-haloalkyl, or

Z and R⁴ together with the carbon atoms to which they are attached form an optionally substituted 5- or 6-membered carbocyclic or heterocyclic ring and R¹, R², and R³ independently of one another represent hydrogen or fluorine.

Claim 20 (previously presented): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which

- G¹ represents fluorine, chlorine, bromine, iodine, trifluoromethyl, difluoromethyl, or cyclopropyl,
- G² and G³ independently of one another represent hydrogen, or methyl, and
- n represents 0 or 2.

Claim 21 (previously presented): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which R⁵ represents hydrogen.

Claim 22 (previously presented): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which


- R¹ represents hydrogen, fluorine, chlorine, or methyl,

R² represents hydrogen, fluorine, chlorine, isopropyl, or methylthio,
 R³ represents hydrogen, fluorine, chlorine, or methyl, and
 R⁴ represents hydrogen, fluorine, chlorine, or methyl.

Claims 23-26 (canceled)

Claim 27 (currently amended): A process for preparing a oxathiincarboxamide of formula (I) as claimed in Claim 19 comprising

(a) reacting an oxathiincarboxylic acid derivative of formula (II)




in which

G¹, G², G³ and n are as defined for formula (I) in Claim 19,

X¹ represents halogen or hydroxyl,


with an aniline derivative of formula (III)



in which R¹, R², R³, R⁴, R⁵, and Z are as defined for formula (I) in Claim 19,

optionally in the presence of a catalyst, optionally in the presence of a condensing agent, optionally in the presence of an acid binder, and optionally in the presence of a diluent, or


~~(b) reacting a halooxathiincarboxamide of formula (IV)~~



$G^1, G^2, G^3, n, R^1, R^2, R^3, R^4,$ and R^5 are as defined for formula (I) in Claim 19, and

X^2 represents bromine or iodine,

with a boronic acid derivative of formula (V)




in which

Z^1 is as defined for formula (I) in Claim 19, and

A^1 and A^2 each represent hydrogen or together represent tetramethylethylene,

in the presence of a catalyst, optionally in the presence of an acid binder, and optionally in the presence of a diluent, or

(c) reacting an oxathiincarboxamide boronic acid derivative of formula (VI)



in which

$G^1, G^2, G^3, n, R^1, R^2, R^3, R^4,$ and R^5 are as defined for formula (I) in Claim 19, and

A^3 and A^4 each represent hydrogen or together represent tetramethylethylene,

with a phenyl derivative of formula (VII)




in which

Z^1 is as defined for formula (I) in Claim 19, and

X^3 represents chlorine, bromine, iodine, or trifluoromethylsulfonate,

in the presence of a catalyst, optionally in the presence of an acid binder, and optionally in the presence of a diluent, or

(d) ~~reacting a halooxathiincarboxamide of formula (IV)~~



in which

~~G¹, G², G³, n, R¹, R², R³, R⁴, and R⁵ are as defined for formula (I) in~~

~~Claim 19, and~~

~~X² represents bromine or iodine,~~

~~with a phenyl derivative of formula (VII)~~



in which

~~Z¹ is as defined for formula (I) in Claim 19, and~~


~~X³ represents chlorine, bromine, iodine, or trifluoromethylsulfonate,~~

~~in the presence of a palladium or nickel catalyst and in the presence of~~

~~4,4,4',4',5,5,5',5'-octamethyl-2,2'-bis-1,3,2-dioxaborolane, optionally in the~~

~~presence of an acid binder, and optionally in the presence of a diluent, or~~

(e) (b) hydrogenating an oxathiincarboxamide of formula (Ia)



in which

G¹, G², G³, n, R¹, R², R³, R⁴, and R⁵ are as defined for formula (I) in


Claim 19, and

X⁴ represents C₂-C₂₀-alkenyl or C₂-C₂₀-alkynyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl, where the cycloalkyl moiety for its part may is optionally ~~be~~ substituted

mono- to tetrasubstituted by halogen fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl,

optionally in the presence of a diluent and optionally in the presence of a catalyst, or

(f) (c) dehydrating a hydroxyalkyloxathiincarboxamide of formula (VIII)




in which

G¹, G², G³, n, R¹, R², R³, R⁴, and R⁵ are as defined for formula (I) in Claim 19, and

X⁵ represents C₂-C₂₀-hydroxyalkyl that is optionally additionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally substituted mono- to tetrasubstituted by halogen fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl, optionally in the presence of a diluent and optionally in the presence of an acid, or

(g) (d) reacting a halooxathiincarboxamide of formula (IV)



in which


G¹, G², G³, n, R¹, R², R³, R⁴, and R⁵ are as defined for formula (I) in Claim 19, and

X² represents bromine or iodine,

with an alkyne of formula (IX)




in which A⁵ represents C₂-C₁₈-alkyl, each of which is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally substituted by ~~halogen~~ fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl, or with an alkene of the formula (X)



in which A⁶, A⁷ and A⁸ independently of one another each represent hydrogen or alkyl that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally substituted mono- to tetrasubstituted by ~~halogen~~ fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl and in which the total number of carbon atoms of the open-chain part of the molecule does not exceed the number 20,

optionally in the presence of a diluent, optionally in the presence of an acid binder, and in the presence of one or more catalysts, or

(h) (e) reacting a ketone of formula (XI)



in which

G¹, G², G³, n, R¹, R², R³, R⁴, and R⁵ are as defined for formula (I) in Claim 19, and

A⁹ represents hydrogen or C₁-C₁₈-alkyl that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of ~~halogen~~ fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is

optionally substituted mono- to tetrasubstituted by halogen fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl,
with a phosphorus compound of formula (XII)




in which

A^{10} represents C₁-C₁₈-alkyl that is optionally mono- or poly-substituted by identical or different substituents selected from the group consisting of halogen fluorine, chlorine, bromine, iodine, and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally substituted mono- to tetrasubstituted by halogen fluorine, chlorine, bromine, iodine, and/or C₁-C₄-alkyl, and
 P_x represents a grouping $-P^+(C_6H_5)_3 Cl^-$, $-P^+(C_6H_5)_3 Br^-$, $-P^+(C_6H_5)_3 I^-$, $-P(=O)(OCH_3)_3$, or $-P(=O)(OC_2H_5)_3$,

optionally in the presence of a diluent, or

(i) (f) reacting an oxathiincarboxamide of formula (Ib)



in which G^1 , G^2 , G^3 , n , R^1 , R^2 , R^3 , R^4 , and Z are as defined for formula (I) in Claim 19,

with a halide of formula (XIII)



in which

R^{5-1} represents C₁-C₈-alkyl, C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl-C₁-C₃-alkyl, (C₁-C₃-alkyl)carbonyl-C₁-C₃-alkyl, or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-alkyl; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-alkyl or (C₁-C₃-

haloalkoxy)carbonyl-C₁-C₃-alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-alkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-haloalkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents -COR⁶, -CONR⁷R⁸ or -CH₂NR⁹R¹⁰ in which R⁶, R⁷, R⁸, R⁹ and R¹⁰ are as defined for formula (I) in Claim 19, and

X⁶ represents chlorine, bromine or iodine,


in the presence of a base and in the presence of a diluent.

Claim 28 (previously presented): A composition for controlling unwanted microorganisms comprising one or more oxathiincarboxamides of formula (I) as claimed in Claim 19 and one or more extenders and/or surfactants.

Claim 29 (withdrawn): A method for controlling unwanted microorganisms comprising applying one or more oxathiincarboxamides of formula (I) as claimed in Claim 19 to the microorganisms and/or their habitat.

Claims 30-31 (canceled)

Claim 32 (previously presented): An oxathiincarboxamideboronic acid derivative of formula (VI)



in which

G¹ represents halogen, trifluoromethyl, difluoromethyl, or cyclopropyl,

G² and G³ independently of one another represent hydrogen or methyl,

n represents 0, 1 or 2,

CS8582

- R^1 , R^2 , R^3 , and R^4 independently of one another represent hydrogen, fluorine, chlorine, methyl, isopropyl, or methylthio,
- R^5 represents hydrogen, C_1 - C_8 -alkyl, C_1 - C_6 -alkylsulfinyl, C_1 - C_6 -alkylsulfonyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -cycloalkyl; represents C_1 - C_6 -haloalkyl, C_1 - C_4 -haloalkylthio, C_1 - C_4 -haloalkylsulfinyl, C_1 - C_4 -haloalkylsulfonyl, halo- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl- C_1 - C_3 -alkyl, (C_1 - C_3 -alkyl)carbonyl- C_1 - C_3 -alkyl, or (C_1 - C_3 -alkoxy)carbonyl- C_1 - C_3 -alkyl; represents (C_1 - C_3 -haloalkyl)carbonyl- C_1 - C_3 -alkyl or (C_1 - C_3 -haloalkoxy)-carbonyl- C_1 - C_3 -alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents (C_1 - C_3 -alkyl)carbonyl- C_1 - C_3 -haloalkyl or (C_1 - C_3 -alkoxy)carbonyl- C_1 - C_3 -haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents (C_1 - C_3 -haloalkyl)carbonyl- C_1 - C_3 -haloalkyl or (C_1 - C_3 -haloalkoxy)carbonyl- C_1 - C_3 -haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents $-COR^6$, $-CONR^7R^8$, or $-CH_2NR^9R^{10}$,
- R^6 represents hydrogen, C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -cycloalkyl; represents C_1 - C_6 -haloalkyl, C_1 - C_6 -haloalkoxy, halo- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents $-COR^{11}$,
- R^7 and R^8 independently of one another represent hydrogen, C_1 - C_8 -alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -cycloalkyl; represent C_1 - C_8 -haloalkyl, halo- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, or C_3 - C_8 -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R^7 and R^8 together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR^{12} and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C_1 - C_4 -alkyl,
- R^9 and R^{10} independently of one another represent hydrogen, C_1 - C_8 -alkyl, or C_3 - C_8 -cycloalkyl; or represent C_1 - C_8 -haloalkyl, C_3 - C_8 -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R^9 and R^{10} together with the nitrogen atom to which they are attached form a saturated hetero-


cycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR¹² and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl,

R¹¹ represents hydrogen, C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,

R¹² represents hydrogen or C₁-C₆-alkyl, and

A³ and A⁴ each represent hydrogen or together represent tetramethylethylene.

Claim 33 (previously presented): A hydroxyalkyloxathiincarboxamide of formula (VIII)



in which

G¹ represents halogen, trifluoromethyl, difluoromethyl, or cyclopropyl,

G² and G³ independently of one another represent hydrogen or methyl,

n represents 0, 1 or 2,

R¹, R², R³, and R⁴ independently of one another represent hydrogen, fluorine, chlorine, methyl, isopropyl, or methylthio,

R⁵ represents hydrogen, C₁-C₈-alkyl, C₁-C₆-alkylsulfinyl, C₁-C₆-alkylsulfonyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₄-haloalkylthio, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl-C₁-C₃-alkyl, (C₁-C₃-alkyl)carbonyl-C₁-C₃-alkyl, or (C₁-C₃-alkoxy)carbonyl-C₁-C₃-alkyl; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-alkyl or (C₁-C₃-haloalkoxy)-carbonyl-C₁-C₃-alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-alkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-

alkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents (C₁-C₃-haloalkyl)carbonyl-C₁-C₃-haloalkyl or (C₁-C₃-haloalkoxy)carbonyl-C₁-C₃-haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents -COR⁶, -CONR⁷R⁸, or -CH₂NR⁹R¹⁰,

R⁶ represents hydrogen, C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents -COR¹¹,

R⁷ and R⁸ independently of one another represent hydrogen, C₁-C₈-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represent C₁-C₈-haloalkyl, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁷ and R⁸ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR¹² and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl,

R⁹ and R¹⁰ independently of one another represent hydrogen, C₁-C₈-alkyl, or C₃-C₈-cycloalkyl; or represent C₁-C₈-haloalkyl, C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R⁹ and R¹⁰ together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR¹² and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₁-C₄-alkyl,

R¹¹ represents hydrogen, C₁-C₈-alkyl, C₁-C₈-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-cycloalkyl; represents C₁-C₆-haloalkyl, C₁-C₆-haloalkoxy, halo-C₁-C₄-alkoxy-C₁-C₄-alkyl, or C₃-C₈-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,

R¹² represents hydrogen or C₁-C₆-alkyl, and

X⁵ represents C₂-C₂₀-hydroxyalkyl that is optionally additionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C₃-C₆-cycloalkyl in which the cycloalkyl moiety is optionally substituted by halogen and/or C₁-C₄-alkyl.

Claims 34-35 (canceled)